



CRIMSON TRACE®



USER GUIDE


BDC 350 LEGEND RETICLE

BDC 350 LEGEND RETICLE

The BDC (Bullet Drop Compensation) 350 Legend Reticle is designed to compensate for the trajectory of a specific ammunition.

Please note that the reticle is based upon ballistic information and may or may not produce these exact results based on a variety of variables such as:

- Actual Velocity (Ammunition manufacturers' information may not match the exact velocity out of your firearm. The best way to confirm velocity is to use a chronograph).
- Temperature
- Humidity
- Altitude
- Barometric Pressure
- Condition of firearm
- Scope mounting system



TRACE[™]

BALLISTIC CALCULATOR

Get precise bullet drops for your reticle and ammunition. Use our FREE Crimson Trace[®] Ballistic Calculator. *Available for all Crimson Trace[®] Reticles

Crimson Trace[®] Ballistic Calculator
Go to www.crimsontrace.com
for more information.

Subtensions for yardages were calculated using the following variables.
Note: all subtensions are calculated at MAX magnification.

- Caliber .350 Legend
- Muzzle Velocity (fps) 2100
- Bullet Wt (gn) 180
- Ballistic Coefficient G1 0.221
- Zero Range (yd) 100
- Temp (Fahrenheit) 59
- Altitude (feet) 2500
- Scope Height over bore (in) 2.50

SUBTENSION	YARDS	MOA
A	125	0.79"
B	150	1.79"
C	171	2.79"
D	187	3.61"
E	200	4.36"
F	213	5.11"
G	243	7.00"
H	250	7.50"
I	257	8.00"
J	300	11.23"



CRIMSON TRACE®

CRIMSON TRACE HEADQUARTERS
9780 SW FREEMAN DRIVE, WILSONVILLE, OR 97070
TELEPHONE: 800-442-2406 • FAX: 503-783-5334
CRIMSONTRACE.COM