

Injection Molded 4U Studio Flyer Rack Case

1SKB-ISF4U



The big brother of the 1SKB-iSF2U! This case features a virtually indestructible, waterproof injection molded shell that is lighter, stronger, and more affordable than the previous 4U Studio Flyer, and includes innovative molded-in front and rear rack rails that provide even more security and durability for sensitive studio equipment during travel.

As a larger Studio Flyer option, The 1SKB-iSF4U offers a 4U rack mount measuring 15" from front rail to rear rail which safely accommodates deeper equipment, such as the Universal Audio Apollo audio interface. It also provides a 21" x 15.5" adjustable work surface with ample room for laptops or monitors, and a specially molded exterior pattern that stacks securely with all SKB Roto Racks for maximum transport

Other standard features include improved quiet-glide wheels, an easy-to-operate one-button pull handle, and TSA-accessible locking Trigger Latch® System. Like all SKB Injection Molded cases, the 1SKB-iSF4U is proudly made in the USA and comes with an Unconditional Lifetime

The 2U version of our Studio Flyer can be carried onto a plane, however this 4U cannot. Instead of checking this under a plane we would recommend one of our Fly Racks that is shock protected and can take the abuse of shipping or checking on a

This case comes with Travel Sentry® Approved locking latches installed. Using Travel Sentry® Approved locks allows your luggage to be opened, inspected, and relocked by TSA authorities without damage. For more information, visit

FEATURES

- Waterproof &
- Innovative molded-in front/rear rack
- 4U rack and laptop combo
- 8 rubber cleats to hold laptop into position during
- 15" front rail to rear rail
- Laptop work surface: 21" x
- Stacks on Standard Roto
- Quiet-glide wheels & pull
- Made in the
- Unconditional Lifetime
- This case comes with Travel Sentry® Approved locking latches installed.
 Using Travel Sentry® Approved locks allows your luggage to be opened, inspected, and relocked by TSA authorities without damage. For more information, visit

SPECIFICATIONS

Exterior	Hard	-
Built In Wheels or Casters	Yes	-
Rack Units	4	-
Front Rail To Back Lid	16.75 in	42.55 cm
Rail To Rail	15 in	38.10 cm
Rear Rail to Front Lid	16.75 in	42.55 cm
Product Weight	22.14 lb	10.04 kg
Exterior Length	24 in	60.96 cm
Exterior Width	18.75 in	47.63 cm
Exterior Height	12.75 in	32.38 cm
Carton Length	24.5 in	62.23 cm
Carton Width	19.5 in	49.53 cm

Carton Height	13.5 in	34.29 cm
Shipping Weight	24.18 lb	10.97 kg

AVAILABLE CONFIGURATIONS

1SKB-ISF4U Black	-
------------------	---